



GENERAL NOTE:

1. Update **all dates in footers** to read:
11/20/2017

Table of Contents

1. Added **Appendix D - BIM Standards**
2. Added **Appendix E - CAD Standards**

Division 01

1. Page 25, **Section 1.11, A, delete items 1 -6** replace with the following:
 1. Refer to Appendix E
2. Page 25, **Section 1.11, B, delete items 1 -6** replace with the following:
 1. Refer to Appendix D

Division 08

1. Page 70, **Section 1.10, I, 1, f, 2)**, revise as follows:
 - 2) Electric Power Transfer (EPT) at electrical openings or electrified hinges.
 - i. Von Duprin VDEPT-10C.
 - ii. Bommer Electrified Hinge
 - iii. As approved by TCCD
2. Page 73, **Section 1.10, I, 6, b, 5)**, revise as follows:
 - 5) Power Supplies PS906-9002Q (six-zone).
3. Page 73, **Section 1.10, I, 6, b, 5)**, revise as follows:
 - 7) Power Transfer EPT-10C.
4. Page 74, **Section 1.10, I, 6, d, 3)**, revise as follows:
 - 3) Power supplies shall be connected to a UPS system in the IDF closet.
5. Page 74, after **Section 1.10, I, 6, d, 3)**, add as follows:
 - 4) Power supplies shall be mounted to a 4x8 sheet of painted (white fireproof) plywood.
6. Page 77, after **Section 1.10, I, 15, a, 1), i,** revise as follows:
 - i. 1006 series or 8500 series at interior locations (Only as Directed by TCCD Access Control Department)
7. Page 80, after **Section 1.10, M, 1,** revise as follows:
 1. FOR ASSISTANCE IN PREPARING A HARDWARE SCHEDULE CONTACT:
Tarrant County College Access Control
OFFICE 817-515-1960
CELL 817-515-1963

Appendix C - Section 28 13 00

1. Page 27, **Part 1, Section 1.07, C,** revise as follows:
 - C. Installer Qualifications: Company specializing in installing the products specified in this section with minimum three years documented experience and **MUST** be a Lenel Value Added Reseller (VAR).
2. Page 29, **Part 2, Section 2.01, A, 1,** revise as follows:
 1. Lenel / Facility Commander WinX.
3. Page 29, **Part 2, Section 2.02, A, 1,** revise as follows:
 1. Product: GE ACUXL16- XL or XL Plus
4. Page 29, **Part 2, Section 2.02, C, 1** revise as follows:
 1. Product: **Lenel** RRE04-E1L Remote Reader Electronics Modules.

Appendix D

1. Immediately following Appendix C add pages **1-157 from the TCCD BIM Standards_4.20.16v1** document.

Appendix E

1. Immediately following Appendix D add pages **1-50 from the TCCD CAD Standards Part 1** document and Pages **1-57 from the TCCD CAD Standards Part 2** document.

END OF ADDENDUM 3

